

| RESEARCH ARTICLE

Article DOI: 10.21474/JNAVES01/152

DOI URL: <http://dx.doi.org/10.21474/JNAVES01/152>

**SOIL SALINITY AND AGRICULTURAL PRODUCTIVITY: CAUSES, IMPACTS, AND
SUSTAINABLE RECLAMATION STRATEGIES**

Hiba S. Rahman, Karan M. Joshi and Elena P. Morris

Corresponding Author: Hiba S. Rahman

| ABSTRACT

Soil salinity is a major environmental and agricultural challenge that can reduce crop productivity, affect soil structure, and threaten food security in many regions. It occurs when soluble salts accumulate in the soil to levels that interfere with plant growth and normal soil processes. Irrigation with saline water, inadequate drainage, high evaporation, and unsuitable agricultural practices can contribute to the development of salinity. This paper examines the major causes and consequences of soil salinity and reviews sustainable strategies for restoring affected agricultural land. A narrative literature review approach is used to synthesize established knowledge on salt-affected soils, crop tolerance, water management, and soil reclamation. The discussion covers drainage improvement, appropriate irrigation practices, soil amendments, salt-tolerant crops, organic matter management, and long-term soil monitoring. The review indicates that successful reclamation depends on the type and severity of soil degradation, water quality, drainage conditions, and local climate. It also emphasizes that salinity management should be based on soil testing rather than applying a uniform treatment to every field. The paper concludes that integrated soil and water management, farmer education, and region-specific research can help improve agricultural productivity and protect vulnerable land resources.

| KEYWORDS

Soil salinity, agricultural productivity, soil reclamation, irrigation management, salt-tolerant crops, soil health, sustainable agriculture.

| ARTICLE INFORMATION

RECEIVED: 10 July 2026

ACCEPTED: 18 August 2026

PUBLISHED: September 2026

Introduction:-

Healthy soil is essential for agricultural production because it provides plants with water, nutrients, physical support, and a suitable environment for root development. However, soil degradation can reduce its productive capacity and affect the livelihoods of farming communities. Soil salinity is one form of degradation that occurs when soluble salts accumulate in the root zone. Salinity can develop naturally in some environments, but agricultural activities and poor water management can accelerate the process. Irrigation water contains varying amounts of dissolved salts. When water evaporates or is absorbed by plants, some salts may remain in the soil. Without adequate drainage and suitable management, these salts can gradually accumulate. High salt concentrations make it more difficult for plants to absorb water. Some ions, particularly sodium and chloride, can also cause specific toxicity in sensitive crops. In sodic soils, excessive exchangeable sodium can damage soil structure, reduce infiltration, and make land management more difficult. The effects of salinity vary according to crop species, soil characteristics, climate, water quality, and the severity of salt accumulation. Effective management therefore requires an understanding of local conditions and the processes responsible for degradation.

Objectives of the Study:-

1. To explain the major causes of soil salinity.
2. To examine the effects of salinity on crop growth and soil properties.
3. To review methods for assessing salt-affected soils.
4. To evaluate sustainable soil reclamation and water-management practices.
5. To identify research priorities for improving the resilience of agricultural land.

Review of Literature:-

Scientific literature distinguishes between saline soils, where soluble salts create problems for plant growth, and sodic soils, where excessive exchangeable sodium can damage soil structure. Some soils have both salinity and sodicity problems. The Food and Agriculture Organization of the United Nations has documented the importance of salt-affected soils and their implications for agricultural production. Research has also established that crop tolerance differs considerably among species and varieties. The literature indicates that reclamation methods must be matched to soil conditions. Leaching may help remove soluble salts when adequate drainage and suitable-quality water are available. Sodic soils may require calcium-containing amendments, such as gypsum, based on soil testing and appropriate technical recommendations.

Research Methodology:-

This paper uses a narrative literature review approach. It synthesizes established scientific knowledge and technical guidance concerning soil salinity, irrigation, drainage, crop tolerance, and soil reclamation. The discussion is organized thematically around causes, agricultural effects, monitoring, management practices, and future research. No original soil samples, field experiments, or statistical datasets were collected for this paper.

Causes of Soil Salinity:-

Irrigation Practices:-

Irrigation can contribute to salinity when water contains dissolved salts and the soil lacks sufficient drainage. Repeated application may introduce salts that remain after water is lost through evaporation or plant uptake. The risk depends on irrigation-water quality, irrigation frequency, soil permeability, and the effectiveness of drainage systems.

High Evaporation:-

In dry and semi-arid regions, evaporation can exceed rainfall for extended periods. Water moving upward through the soil may carry dissolved salts toward the surface, where evaporation leaves them behind. This process can lead to visible salt accumulation and reduced crop establishment.

Poor Drainage:-

When excess water cannot leave the root zone, salts may accumulate. A shallow saline water table can also contribute to salt movement toward the surface. Improving drainage can be important, but drainage water must be managed responsibly to avoid transferring salts and pollutants into rivers, lakes, or neighboring agricultural land.

Natural Geological Conditions:-

Some soils naturally contain soluble salts because of their parent material, groundwater, or historical environmental conditions. Agricultural development may expose these salts or alter water movement in ways that increase their effects. Understanding the natural background of salinity helps distinguish existing conditions from changes associated with land management.

Effects on Crop Growth and Soil Health:-

Reduced Water Uptake:-

High concentrations of dissolved salts reduce the ability of plant roots to absorb water. Even when the soil appears moist, plants may experience physiological water stress. This can reduce seed germination, plant growth, and crop yield.

Nutrient Imbalances:-

Excessive concentrations of particular ions can interfere with the uptake of essential nutrients. Depending on the soil and crop, plants may experience nutrient deficiencies or toxicities. Soil and plant testing can help identify the specific problems and guide appropriate corrective measures.

Soil Structure Degradation:-

Sodicity can cause soil particles to disperse, reducing aggregation and infiltration. The resulting surface crusting and poor aeration can make it difficult for seedlings to emerge and roots to develop. These structural problems may require different treatments from those used for saline soils without sodicity.

Economic and Social Impacts:-

Lower crop yields can reduce farm income and increase the cost of production. Severe degradation may lead farmers to change crops, reduce cultivation, or abandon affected land. The effects can be especially difficult for smallholder farmers who have limited access to soil testing, drainage infrastructure, and technical support.

Assessment and Monitoring:-

Soil salinity should be assessed through appropriate sampling and laboratory analysis. Electrical conductivity is commonly used as an indicator of soluble salt concentration. Testing should also consider soil pH, exchangeable sodium where relevant, soil texture, and irrigation-water quality. Sampling at different depths may be necessary because salts can accumulate unevenly through the soil profile. Repeated measurements help determine whether salinity is increasing, decreasing, or remaining stable. Results should be interpreted by qualified agricultural or soil professionals.

Sustainable Reclamation Strategies:-

Improved Drainage:-

Drainage systems can remove excess water and help control the accumulation of salts in the root zone. Their design should account for soil permeability, groundwater depth, terrain, and the destination of drainage water. Drainage alone may not solve every salinity problem, but it is often an important part of a broader management plan.

Leaching of Soluble Salts:-

Leaching involves applying suitable-quality water to move soluble salts below the root zone. It is most useful when sufficient water and effective drainage are available. Leaching should be planned carefully. Applying large quantities of water without adequate drainage can raise the water table and worsen the problem.

Soil Amendments:-

Sodic soils may benefit from calcium-containing amendments such as gypsum when testing confirms that the treatment is appropriate. Calcium can help replace exchangeable sodium, after which the displaced sodium must be removed through suitable water and drainage management. The required amendment rate depends on soil properties and should not be assumed without assessment.

Organic Matter Management:-

Suitable compost, crop residues, and other organic materials can improve soil structure, water retention, and biological activity. However, the salt content of organic amendments must be considered because some materials can add further salts. Organic matter is a useful component of soil improvement but is not a universal substitute for drainage or appropriate reclamation treatments.

Salt-Tolerant Crops:-

Growing crops or varieties with suitable salt tolerance can help maintain production on moderately affected land. Crop selection should reflect local climate, soil conditions, water availability, market demand, and the severity of salinity. Salt tolerance varies by growth stage, so a crop that tolerates salinity during one stage may remain sensitive during germination or early development.

Role of Technology and Farmer Education:-

Soil testing, remote sensing, geographic information systems, and field-based monitoring can help identify areas affected by salinity. Satellite observations may reveal patterns of vegetation stress, but these indicators require ground verification because other factors can produce similar signals. Agricultural extension services can help farmers interpret test results, select suitable crops, and develop irrigation plans. Demonstration projects can show the costs and practical benefits of reclamation practices.

Challenges and Future Directions:-

Major challenges include limited access to quality irrigation water, high drainage costs, inadequate laboratory services, and insufficient technical knowledge. In some regions, the safe disposal of saline drainage water is also a serious concern. Future research should evaluate affordable monitoring tools, salt-tolerant crop varieties, improved irrigation systems, and reclamation practices under local conditions. Long-term studies should assess not only crop yields but also water use, soil structure, farm income, and environmental effects.

Recommendations:-

- Test soil and irrigation water before choosing a reclamation method.
- Improve drainage where poor drainage contributes to salt accumulation.
- Use leaching only when water quality and drainage conditions are suitable.
- Apply soil amendments according to laboratory results and technical guidance.
- Select crop varieties suited to local salinity conditions.
- Maintain suitable organic matter while monitoring the salt content of amendments.
- Monitor soil conditions regularly.
- Provide farmers with practical training and access to agricultural extension services.

Conclusion:-

Soil salinity is a complex agricultural problem influenced by natural processes, irrigation practices, drainage conditions, and climate. It can reduce crop growth, disturb nutrient availability, damage soil structure, and threaten farm livelihoods. Effective management requires accurate diagnosis and a combination of appropriate practices, including drainage improvement, carefully planned leaching, suitable soil amendments, organic matter management, and salt-tolerant crop selection. No single reclamation method is suitable for every salt-affected soil. Decisions should be based on soil and water testing, local environmental conditions, and the economic resources available to farmers. Integrated soil and water management, supported by research and farmer education, can help restore affected land and contribute to long-term agricultural sustainability.

References:-

1. Food and Agriculture Organization of the United Nations. (n.d.). Global Map of Salt-Affected Soils. FAO. <https://www.fao.org/soils-portal/soil-management/management-of-some-problem-soils/salt-affected-soils/en/>
2. Food and Agriculture Organization of the United Nations. (n.d.). Soil Portal: Soil Management. FAO. <https://www.fao.org/soils-portal/en/>
3. Rengasamy, P. (2010). Soil processes affecting crop production in salt-affected soils. *Functional Plant Biology*, 37(7), 613–620. <https://doi.org/10.1071/FP09249>
4. Qadir, M., Quill  rou, E., Nangia, V., Murtaza, G., Singh, M., Thomas, R. J., Drechsel, P., & Noble, A. D. (2014). Economics of salt-induced land degradation and restoration. *Natural Resources Forum*, 38(4), 282–295. <https://doi.org/10.1111/1477-8947.12054>
5. United States Salinity Laboratory Staff. (1954). *Diagnosis and Improvement of Saline and Alkali Soils*. United States Department of Agriculture, Agriculture Handbook No. 60.